BEVERAGE-AIR

MARKETMAX REFRIGERATOR

MMR35HC Black Hinged Single Glass Door Hydrocarbon Series



3 Year Parts/Labor Warranty Additional 4 Year Compressor Warranty

CABINET CONSTRUCTION

- Exterior finish is heavy-duty steel with a black baked on durable coating
- · Heavy-duty interior construction includes white coated steel walls
- Modern one-piece grille
- Full electronic control
- Refrigerator have double pane lowE argon filled glass doors
- Self-closing door with 120° stay-open feature

Project:

Approved:

Item: _____ Location:

- Snap-in gaskets, easy to remove for cleaning or replacement
- Field reversible door (hinge kit not included)
- LED lighting
- Brightly lit sign panel
- Three (3) heavy-duty epoxy coated wire shelves per door section
- Four (4) shelf clips included per shelf
- Self-contained bottom mount refrigeration system

OPTIONS & ACCESSORIES

- White or stainless steel exterior option
- Black or stainless steel interior option
- Shelves black or white
- Shelf clips
- Flow track
- Gravity track
- Price tag molding
- Electronic lock models (swing doors only)
- 3" 6" Casters or 6" seismic/flanged legs
- Door locks
- Custom signage & decals
- Remote option* (see note on back on page)

REFRIGERATION SYSTEM

- Uses environmentally friendly, energy efficient R290, and meets all regulatory requirements for CARB, SNAP,DOE & more
- Adaptive defrost
- Epoxy coated evaporator coil
- $\bullet\,$ Refrigerator capable of maintaining product temperatures between 36°F and 38°F





Please verify qualifying units by visiting: www.energystar.gov/cfs 3779 Champion Blvd., Winston-Salem, NC 27105 1-888-845-9800 Fax: 1-336-245-6453 Beverage-Air.com Sales@bevair.com

AIA#

SIS#

MODEL:


MMR35HC-1-B



MODEL	MMR35HC-1-B
EXTERNAL DIMENSIONAL DATA	
Width Overall	39 ½"
Depth Overall with Handle	33 ½"
Height Overall	78 ¹ ⁄8"
Number of Doors	2
Depth with Door Open 90 $^{\circ}$	49 ⁵ ⁄8"
Door Opening (in)	16 ½" x 52 %"
INTERNAL DIMENSIONAL DATA	
NET Capacity (cubic ft.)	36.87
Internal Width Overall (in)	36 3 ⁄8"
Internal Depth Overall (in)	25 7⁄8"
Internal Height Overall (in)	61 ⁵ ⁄8"
Internal Height Useable (in)	52 7⁄8"
Number of Shelves	3
ELECTRICAL DATA	
Full Load Amperes 115/60/1	2.4
REFRIGERATION DATA	
Horsepower*	1/4
Capacity (BTU/Hr)*	1702
SHIPPING DATA	
Gross Weight - Crated	480 lbs
Height - Crated	85"
Width - Crated	36"
Depth - Crated	34"

*NOTE: Remote units are field wired and come with 6" legs. Refrigerant must be specified at time of order.

Refrigerator Single Glass Door MMR35HC-1-B



***ELECTRICAL CONNECTION**



Unit pre-wired at factory and include 8' long cord and plug set.

3779 Champion Blvd., Winston-Salem, NC 27105 1-888-845-9800 Fax: 1-336-245-6453 Beverage-Air.com Sales@bevair.com

n Ali Group Company

G R O U P The Spirit of Excellence



BEVERAGE-AIR

MARKETMAX REFRIGERATOR

MMR35HC White Hinged Single Glass Door Hydrocarbon Series



3 Year Parts/Labor Warranty Additional 4 Year Compressor Warranty

CABINET CONSTRUCTION

- Exterior finish is heavy-duty steel with a white baked on durable coating
- Heavy-duty interior construction includes white coated steel walls
- Modern one-piece grille
- Full electronic control
- Refrigerator have double pane lowE argon filled glass doors
- Self-closing door with 120° stay-open feature

Project:

Approved:

Item: _____ Location:

- Snap-in gaskets, easy to remove for cleaning or replacement
- Field reversible door (hinge kit not included)
- LED lighting
- Brightly lit sign panel
- Three (3) heavy-duty epoxy coated wire shelves per door section
- Four (4) shelf clips included per shelf
- Self-contained bottom mount refrigeration system

OPTIONS & ACCESSORIES

- Black or stainless steel exterior option
- Black or stainless steel interior option
- Shelves black or white
- Shelf clips
- Flow track
- Gravity track
- Price tag molding
- Electronic lock models (swing doors only)
- 3" 6" Casters or 6" seismic/flanged legs
- Door locks
- Custom signage & decals
- Remote option* (see note on back on page)

REFRIGERATION SYSTEM

- Uses environmentally friendly, energy efficient R290, and meets all regulatory requirements for CARB, SNAP,DOE & more
- Adaptive defrost
- Epoxy coated evaporator coil
- $\bullet\,$ Refrigerator capable of maintaining product temperatures between 36°F and 38°F







3779 Champion Blvd., Winston-Salem, NC 27105 1-888-845-9800 Fax: 1-336-245-6453 Beverage-Air.com Sales@bevair.com

AIA#

SIS#

MODEL:


MMR35HC-1-W



MODEL	MMR35HC-1-W
EXTERNAL DIMENSIONAL DATA	
Width Overall	39 ½"
Depth Overall with Handle	33 1⁄2"
Height Overall	78 ¹ ⁄8"
Number of Doors	2
Depth with Door Open 90°	49 % "
Door Opening (in)	16 ½" x 52 5⁄8"
INTERNAL DIMENSIONAL DATA	
NET Capacity (cubic ft.)	36.87
Internal Width Overall (in)	36 3 ⁄8"
Internal Depth Overall (in)	25 ⁷ ⁄8"
Internal Height Overall (in)	61 ⁵ ⁄8"
Internal Height Useable (in)	52 ⁷ ⁄8"
Number of Shelves	3
ELECTRICAL DATA	
Full Load Amperes 115/60/1	2.4
REFRIGERATION DATA	
Horsepower*	1/4
Capacity (BTU/Hr)*	1702
SHIPPING DATA	
Gross Weight - Crated	480 lbs
Height - Crated	85"
Width - Crated	36"
Depth - Crated	34"

*NOTE: Remote units are field wired and come with 6" legs. Refrigerant must be specified at time of order.

Refrigerator Single Glass Door MMR35HC-1-W



***ELECTRICAL CONNECTION**



Unit pre-wired at factory and include 8' long cord and plug set.

3779 Champion Blvd., Winston-Salem, NC 27105 1-888-845-9800 Fax: 1-336-245-6453 Beverage-Air.com Sales@bevair.com

n Ali Group Compan

G R O U P The Spirit of Excellence

