JDF-2S Lit Door

33.1" x 25.5" x 10.0" (84.1cm x 64.8cm x 25.4cm)



- Patented High Intensity Mixing System delivers consistent quality in the cup --- cup after cup, from the top of the cup to the bottom
- 7" (17.8cm) cup clearance accommodates most juice containers
- Both push-and-hold dispense and optional single size portion control dispense available in the same machine
- Quick dispense with 1.0 to 1.5oz (29.6 to 44.4ml) per second flow rate
- One dispenser delivers both frozen and ambient products, to maximize profitability by providing greater flexibility in product offerings
- 8lb (3.6kg) ice bank provides superior cold drink capacity
- Service friendly design makes set up and maintenance simple
- LED lighted door graphics bring high visibility to front-of-house applications

Agency:



Specifications

Product #: 37900.0009

Flavors: 2 Flavors

Water Access: Plumbed

Finish: Black

Door: Lit

Refrigerant: R-134A

Ice Bank: 8.00 lbs (3.629 kgs)

Dispense: Push Button

Dispense: Single Size Portion Control

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	4.5	540	-	-	-	60°F (15.5°C)	1	2	60

Plumbing Requirements

- Tambing Regardinents							
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)				
20-100	138-689	3/8" Male Flare Fitting	-				

CAD Drawings


Additional Features

2D	Revit	KLC
•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on: 07/20/2017



Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	10.0 in.	33.1 in.	25.5 in.	-	-	-	115.260 lbs	-
Metric	25.4 cm	84.1 cm	64.8 cm	-	-	-	52.282 kgs	-



Related Products & Accessories: JDF-2S Lit Door(37900.0009)





